

STARTER KITS

WIRELESS CAN-INTERFACE

CANlink® mobile 5301 Starter Kit		253000123
CANlink® mobile 5301	1	253004049
CANview® USB	1	253001014
ANT GSM/GPS GLO MB DA 3M0 FME-F SMA-M FA	1	157000089
CAN cable M12 5-pin/D-Sub+power	1	136000028
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24 V/2.25-1.0 A	1	115300021
screwdriver Torx T15	1	157003014
RMSTH isolation plate SG	1	140400025
Mounting screw DIN 912 M4x40	4	141100112
Spacer sleeve d=4,5x7x4 Aluminium	4	141400040
RMtools CD	1	157002059
CANlink® mobile 5303 Starter Kit		253000124
CANlink® mobile 5303	1	253004050
CANview® USB	1	253001014
ANT GSM/GPS GLO MB DA 3M0 FME-F SMA-M FA	1	157000089
CAN cable M12 12-pin/3xDSub/pow/5xopen	1	136000172
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24 V/2.25-1.0 A	1	115300021
screwdriver Torx T15	1	157003014
RMSTH isolation plate SG	1	140400025
Mounting screw DIN 912 M4x40	4	141100112
Spacer sleeve d=4,5x7x4 Aluminium	4	141400040
RMtools CD	1	157002059
CANlink® wireless 3001 Starter Kit		253000140
CANlink® wireless 3001	1	253001058
CAN cable M12 5-pin/D-Sub/power KL15 ON	1	136000187
USB-RS232 convertercable, M12-5-pin, 1.8 m	1	257001017
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24 V/2.25-1.0 A	1	115300021
Protection Cap M12 Flange Plug	1	140400003
RMtools CD	1	157002059
CANlink® wireless 3001 Bridge Starter Kit		253000141
CANlink® wireless 3001	2	253001058
CAN cable M12 5-pin/D-Sub/power KL15 ON	2	136000187
USB-RS232 convertercable, M12-5-pin, 1.8 m	2	115300021
CAN bus terminator D-Sub/D-Sub CANterm	2	157000033
power supply EU 12-24 V/2.25-1.0 A	1	257001017
Protection Cap M12 Flange Plug	2	140400003
RMtools CD	1	157002059

CANlink® wireless 3002 Starter Kit		253000131
CANlink® wireless 3002	1	253001059
ANT WLDB DI RPSMA-M SA GE tilted	1	157000085
CAN cable M12 5-pin/D-Sub/power KL15 ON	1	136000187
USB-RS232 convertercable, M12-5pin, 1.8 m	1	257001017
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24 V/2.25-1.0 A	1	115300021
Protection Cap M12 Flange Plug	1	140400003
RMtools CD	1	157002059
CANlink® wireless 3002 Bridge Starter Kit		253000132
CANlink® wireless 3002	2	253001059
ANT WLDB DI RPSMA-M SA GE tilted	2	157000085
CAN cable M12 5-pin/D-Sub/power KL15 ON	2	136000187
USB-RS232 convertercable, M12-5-pin, 1.8 m	1	257001017
CAN bus terminator D-Sub/D-Sub CANterm	2	157000033
power supply EU 12-24V/2.25-1.0A	2	115300021
Protection Cap M12 Flange Plug	2	140400003
RMtools CD	1	157002059
CANlink® WLAN Starter Kit		253000059
CANlink® WLAN 2001	1	253001029
ANT WLDB DI RPSMA-M SA GE tilted	1	157000085
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24 V/2.25-1.0 A	1	115300021
Mounting clamp 600	1	142200053
RMtools CD	1	157002059
CANlink® WLAN Bridge Starter Kit		253000060
CANview® WLAN 2001 Bridge	1	253001045
ANT WLDB DI RPSMA-M SA GE tilted	2	157000085
CAN cable M12 5-pin/D-Sub+power	2	136000028
CAN bus terminator D-Sub/D-Sub CANterm	2	157000033
power supply EU 12-24 V/2.25-1.0 A	2	115300021
Mounting clamp 600	2	142200053
RMtools CD	1	157002059
CANlink® Bluetooth 2001 Starter Kit		253000127
CANlink® Bluetooth 2001	1	253001060
ANT BTWL DI RPSMA-M SA GE tilted	1	157000086
CAN cable M12 5-pin/D-Sub+power	1	136000028
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24 V/2.25-1.0 A	1	115300021
Mounting clamp 600	1	142200053
RMtools CD	1	157002059

STARTER KITS

CANlink® Bluetooth 2001 Bridge Starter Kit		253000128
CANlink® Bluetooth 2001 Bridge	1	253001062
ANT BTWL DI RPSMA-M SA GE tilted	2	157000086
CAN cable M12 5-pin/D-Sub+power	2	136000028
CAN bus terminator D-Sub/D-Sub CANterm	2	157000033
power supply EU 12-24 V/2.25-1.0 A	2	115300021
Mounting clamp 600	2	142200053
RMtools CD	1	157002059
CANlink® Bluetooth 2103 Starter Kit		253000129
CANlink® Bluetooth 2103	1	253001061
ANT BTWL DI RPSMA-M SA GE tilted	1	157000086
CAN cable M12 8-pin/D-Sub+power/4xopen	1	136000154
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24 V/2.25-1.0 A	1	115300021
Mounting clamp 600	1	142200053
RMtools CD	1	157002059
CANlink® Bluetooth 2103 Bridge Starter Kit		253000130
CANlink® Bluetooth 2103 Bridge	1	253001063
ANT BTWL DI RPSMA-M SA GE tilted	2	157000086
CAN cable M12 8-pin/D-Sub+power/4xopen	2	136000154
CAN bus terminator D-Sub/D-Sub CANterm	2	157000033
power supply EU 12-24 V/2.25-1.0 A	2	115300021
Mounting clamp 600	2	142200053
RMtools CD	1	157002059
CANlink® RFID Starter Kit		253000025
CANlink® RFID 2001	1	253006001
CANview® USB	1	253001014
RFID transponder card ISO 15693	2	157001005
RFID transponder card ISO 14443	2	157001006
CAN cable M12 5-pin/D-Sub+power	1	136000028
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24 V/2.25-1.0 A	1	115300021
CD RM CAN Device Monitor Pro CANopen	1	157002025
RMtools CD	1	157002059

WIRED CAN-INTERFACE

CANview® Ethernet 2001 Starter Kit		253000035
CANview® Ethernet 2001	1	253001031
CANview® USB	1	253001014
CAN cable D-Sub/D-Sub+power	1	136000055
Network cable RJ45 2 m	1	136000078
RS-232 cable D-Sub 9-pin	1	136000004
CAN bus terminator D-Sub/D-Sub CANterm	1	136000078
power supply EU 12-24V/2.25-1.0A	1	157000033
CD RM CAN Device Monitor Pro CANopen	1	157002025
RMtools CD	1	157002059
CANview® Ethernet Bridge Starter Kit		253000037
CANview® Ethernet 2001	2	253001031
CANview® USB	1	253001014
CAN cable D-Sub/D-Sub+power	2	136000055
Network cable RJ45 2 m	1	136000078
RS-232 cable D-Sub 9-pin	1	136000004
CAN bus terminator D-Sub/D-Sub CANterm	2	157000033
power supply EU 12-24 V/2.25-1.0 A	2	115300021
Mounting clamp 800	2	142200054
CD RM CAN Device Monitor Pro CANopen	1	157002025
RMtools CD	1	157002059
CANview® Profibus Starter Kit		253000013
CANview® Profibus DP	1	253001010
CANview® USB	1	253001014
CAN cable D-Sub 9-pin female/female	1	257001000
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
Power supply EU 12 V/500 mA Combicon 2.5	1	257002006
Subcon-Plus-Profib / AX	1	132600002
Mounting clamp 600	1	142200053
RMtools CD	1	157002059
CANview® USB Starter Kit		253000008
CANview® USB	1	253001014
CAN cable D-Sub 9-pin female/female	1	257001000
RMtools CD	1	157002059
CANview® Starter Kit		253 000 001
CANview®	1	253 001 001
CAN cable D-Sub 9-pin female/female	1	257 001 000
power supply EU 12-24V/2.25-1.0A	1	115 300 021
RMtools CD	1	157 002 059

STARTER KITS

CANview® Gateway 2011 Starter Kit		253000086
CANview® Gateway 2011	1	253002010
CAN cable D-Sub/D-Sub+power	1	136000055
CAN cable D-Sub 9-pin male/female	1	257001002
RS-232 cable D-Sub 9-pin	1	136000004
CAN-Busabschluss D-Sub/D-Sub CANterm 120	2	157000033
Power supply EU 12 V/500 mA	1	257002000
Mounting clamp 800	1	142200054
RMtools CD	1	157002059
CANbooster 5101 Starter Kit		253000100
RM CANbooster 5101	2	253002015
CANview® USB	1	253001014
CAN cable M12 5-pin/D-Sub+power	2	136000028
CAN cable M12 5-pin	1	136000048
CAN bus terminator D-Sub/D-Sub CANterm	2	157000033
power supply EU 12-24 V/2.25-1.0 A	2	115300021
M12 5 Pin Female Connector	2	132000077
RMtools CD	1	157002059
CANview® GPS 5107 Starter Kit		253000107
CANview® GPS 5107	1	253004043
CANview® USB	1	253001014
ANT GPS DA 5M0 SMA-M FA	1	157000020
CAN cable M12 5-pin/D-Sub+power	1	136000028
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24V/2.25-1.0A	1	115300021
RMtools CD	1	157002059

CAN-LOGGER

CANlogger® 5001 Starter Kit		253000116
CANlogger® 5001	1	253003006
CAN cable M12 5-pin/D-Sub+power	1	136000028
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24 V/2.25-1.0 A	1	115300021
RMSTH IP - cap - plastic - SET	1	140400021
SD memory card 2 GB	1	157001009
RMtools CD	1	157002059
CANlogger® 5002 Starter Kit		253000117
CANlogger® 5002	1	253003007
CAN cable M12 5-pin/D-Sub+power	1	136000028
CAN cable M12 8-pin/open 5 m	1	136000011
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24 V/2.25-1.0 A	1	115300021
RMSTG IP Deckel - KU - SET	1	140400021
SD memory card 2 GB	1	157001009
RMtools CD	1	157002059

CANlogger® 5102 Starter Kit		253000111
CANlogger® 5102	1	253003005
ANT GPS DA 5M0 SMA-M FA	1	157000020
CAN cable M12 5-pin/D-Sub+power	1	136000028
CAN cable M12 8-pin/open 5 m	1	136000011
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24V/2.25-1.0A	1	115300021
RMSTH IP - cap - plastic - SET	1	140400021
SD memory card 2 GB	1	157001009
RMtools CD	1	157002059

CAN-DISPLAYS

RM Display 1001 Starter Kit		253000047
RM Display 1001	1	251007020
CANview® USB	1	253001014
CAN cable M12 5-pin/D-Sub+power	1	136000028
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24 V/2.25-1.0 A	1	115300021
Mounting kit (brackets) RM Disp. 10xx V2	1	141000011
RMtools CD	1	157002059
RM Display 5001 Starter Kit		253000138
RM Display 5001	1	251007039
CANview® USB	1	253001014
CAN cable M12 5-pin/D-Sub+power	1	136000028
CAN cable M12 8-pin/open 5m	1	136000011
USB cable, Conec Mini USB ↔ USB A, 2 m	1	136000179
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24V/2.25-1.0A	1	115300021
RMtools CD	1	157002059
RM Display 5002 Starter Kit		253000139
RM Display 5002	1	251007040
CANview® USB	1	253001014
CAN cable M12 5-pin/D-Sub+power	1	136000028
CAN cable M12 8-pin/open 5 m	1	136000011
USB cable, Conec Mini USB ↔ USB A, 2 m	1	136000179
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24V/2.25-1.0A	1	115300021
RMtools CD	1	157002059

STARTER KITS

RM Display 3012 Starter Kit		253000104
RM Display 3012	1	251007032
CANview® USB	1	253001014
Cable RM Display 3000 (full occupancy)	1	136000140
CAN cable D-Sub 9-pin female/female	1	257001000
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
RM Display 301x mounting cover	1	142200100
RMtools CD	1	157002059
RM Display 3101 Starter Kit		253000112
RM Display 3101	1	251007033
CANview® USB	1	253001014
Cable RM Display 3000 (full occupancy)	1	136000140
CAN cable D-Sub 9-pin female/female	1	257001000
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
RM Display 310X Mounting cover	1	142200109
RMtools CD	1	157002059
RM Display 3102 Starter Kit		253000113
RM Display 3102	1	251007034
CANview® USB	1	253001014
Cable RM Display 3000 (full occupancy)	1	136000140
CAN cable D-Sub 9-pin female/female	1	257001000
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
RM Display 310X Mounting cover	1	142200109
RMtools CD	1	157002059
RM Display 3001 Starter Kit		253000101
RM Display 3001	1	251007029
CANview® USB	1	253001014
Cable RM Display 3000 (full occupancy)	1	136000140
CAN cable D-Sub 9-pin female/female	1	257001000
CAN bus terminator D-Sub/D-Sub CANterm	1	132300033
RM Display 300x mounting cover	1	142200101
RMtools CD	1	157002059
RM Display 3002 Starter Kit		253000102
RM Display 3002	1	251007030
CANview® USB	1	253001014
Cable RM Display 3000 (full occupancy)	1	136000140
CAN cable D-Sub 9-pin female/female	1	257001000
CAN bus terminator D-Sub/D-Sub CANterm	1	132300033
RM Display 300x mounting cover	1	142200101
RMtools CD	1	157002059

RM Display 3011 Starter Kit		253000103
RM Display 3011	1	251007031
CANview® USB	1	253001014
Cable RM Display 3000 (full occupancy)	1	136000140
CAN cable D-Sub 9-pin female/female	1	257001000
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
RM Display 301x mounting cover	1	142200100
RMtools CD	1	157002059
RM Display 3111 Starter Kit		253000114
RM Display 3111	1	251007035
CANview® USB	1	253001014
Cable RM Display 3000 (full occupancy)	1	136000140
CAN cable D-Sub 9-pin female/female	1	257001000
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
RM Display 311X Mounting cover	1	142200110
RMtools CD	1	157002059
RM Display 3112 Starter Kit		253000115
RM Display 3112	1	251007036
CANview® USB	1	253001014
Cable RM Display 3000 (full occupancy)	1	136000140
CAN cable D-Sub 9-pin female/female	1	257001000
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
RM Display 311X Mounting cover	1	142200110
RMtools CD	1	157002059

CAN-SENSORS

CANsense® ACC Starter Kit		253000050
CANsense® ACC 3501	1	251009002
CANview® USB	1	253001014
CAN cable M12 4-pin/D-Sub+power	1	136000029
CAN bus terminator D-Sub/D-Sub CANterm	1	157000033
power supply EU 12-24V /2.25-1.0 A	1	115300021
Protection Cap M12 Flange Plug	1	140400003
RMtools CD	1	157002059
CANsense® I/O Starter Kit		253000016
CANsense® I/O Var. Standard	1	251006002
RS-232 cable D-Sub 9-pin	1	136000004
CAN cable M12 4-pin 90°/open	2	136000022
RS232/TTL configuration adapter	1	257005003
I/O connector Combicon 8-pin	4	132300033
RMtools CD	1	157002059